

Ground Vehicle Supply Requirements for EMR Quick Response Units.

- Ring cutters
- 2 Blood pressure cuffs, one adult, one pediatric
- 2 Stethoscopes, one adult and one pediatric or combination
- 2 Heavy duty shears
- 2 Universal sterile dressings, 9" x 5", 10" x 8", 8" x 9", or equivalent
- 12 Gauze pads, sterile, 4" x 4"
- 8 Bandages, self-adhering, soft roller type, 4" x 5 yards or equivalent
- 2 Rolls of tape
- 2 Triangular bandages
- 1 Box of gloves latex free or equivalent
- 1 Thermometer
- 1 Biohazard bag
- 1 Obstetrical kit (includes cord clamp, scissors, scalpel, bulb syringe, drapes, towels, gloves, feminine napkin, biohazard bags)
- 1 Printed pediatric reference material
- 1 Commercial tourniquet
- Disinfecting agent for cleaning vehicle and equipment of body fluids in accordance with OSHA standards of bleach diluted between 1:10 and 1:100 with water or equivalent
- Reflective safety vests one for each crew member OSHA approved
- Preventive T.B. Transmission masks (N95 or N100) masks, one for each crew member
- Protective eye wear (goggle or face shield), one for each crew member
- Fire extinguisher, with current inspection sticker, of the dry chemical type with a rating of 2A10BC

Airway Equipment and Supplies:

- 2 Bag valve mask ventilation units, one adult, one pediatric
- 1 Portable oxygen apparatus, capable of metered flow with adequate tubing*
- 2 O2 masks, non-rebreather or partial non-rebreather, one adult and one pediatric*
- 1 Nasal cannula, adult*
- Defibrillator Equipment and Supplies
- 1 Automated External Defibrillator (AED)
- Additional Supplies:
- 1 Irrigation solution 500cc
- 2 Nerve Antidote Kits (Mark I Kits or DuoDote) for self or peer administration*
- Mylar blanket*

*Optional items are marked with an asterisk.

Ground Vehicle Supply Requirements for EMT Quick Response Units.

- Ring cutters
- 2 Blood pressure cuffs, one adult, one pediatric
- 2 Stethoscopes, one adult and one pediatric or combination
- 2 Heavy duty shears
- 2 Universal sterile dressings, 9" x 5", 10" x 8", 8" x 9", or equivalent
- 12 Gauze pads, sterile, 4" x 4"
- 8 Bandages, self-adhering, soft roller type, 4" x 5 yards or equivalent
- 2 Rolls of tape
- 4 Cervical collars. This must include one of each of the following sizes: one adult, one child, one infant, plus one other size.
- 2 Triangular bandages
- 2 boxes of gloves, one box non-sterile and one box latex free or equivalent
- 1 Thermometer
- 2 Biohazard bags
- 1 Printed pediatric reference material
- 1 Obstetrical kit (includes cord clamp, scissors, scalpel, bulb syringe, drapes, towels, gloves, feminine napkin, Biohazard bags)
- 1 Commercial tourniquet
- Disinfecting agent for cleaning vehicle and equipment of body fluids in accordance with OSHA standards of bleach diluted between 1:10 and 1:100 with water or equivalent
- Reflective safety vests one for each crew member OSHA approved
- Preventive T.B. Transmission masks (N95 or N100) masks, one for each crew member
- Protective eye wear (goggle or face shield), one for each crew member
- Fire extinguisher, with current inspection sticker, of the dry chemical type with a rating of 2A10BC
- Hemostatic Gauze or agent*
- Glucose measuring device*
- Transcutaneous carbon monoxide detector*
- Head Immobilization Device*
- Spine board (wood must be coated or sealed) *
- Immobilization straps*
- Multi-use splints*
- Whole body vacuum splint*
- Inflatable back raft*
- Mucosal atomization device*
- Airway Equipment and Supplies:**
- 1 Portable or fixed suction, with wide bore tubing and rigid pharyngeal suction tip
- 1 Oxygen saturation monitor with adult and pediatric probes
- 2 Bag valve mask ventilation units, one adult, one pediatric, with adult, child, and infant size
- 1 Bulb syringe, separate from the OB kit
- 3 Oropharyngeal airways, with one adult, one child, and one infant size
- 3 Nasopharyngeal airways, one adult, one child, and one infant
- 1 Water based lubricant, one tube or equivalent

2 O2 masks, non-rebreather or partial non-rebreather, one adult and one pediatric

1 Nasal cannula, adult

1 Portable oxygen apparatus, capable of metered flow with adequate tubing

Impedance threshold device*

Defibrillator Equipment and Supplies:

1 Automated external defibrillator (AED), per vehicle or response unit

Automated chest compression device*

Required Drugs:

1 bottle aspirin chewable 81 mg (minimum 8 tablets)

2 Epinephrine auto-injectors, one standard and one junior*

1 Irrigation Solution 500cc

2 Oral Glucose tubes concentrated or equivalent

Activated Charcoal 25gm *

Acetaminophen elixir 160mg/5ml*

Ibuprofen (adult and pediatric)*

Naloxone (Intranasal use only)*

Nerve Antidote Kits (Mark I Kits or DuoDote)*

Mylar blanket*

*Optional items are marked with an asterisk.

Ground Vehicle Supply Requirements for AEMT Quick Response Units.

- Ring cutters
- 2 Blood pressure cuffs, one adult, one pediatric
- 2 Stethoscopes, one adult and one pediatric or combination
- 2 Heavy duty shears
- 2 Universal sterile dressings, 9" x 5", 10" x 8", 8" x 9", or equivalent
- 12 Gauze pads, sterile, 4" x 4"
- 8 Bandages, self-adhering, soft roller type, 4" x 5 yards or equivalent
- 2 Rolls of tape
- 4 Cervical collars, one adult, one child, one infant, plus one other size
- 2 Triangular bandages
- 2 Boxes of gloves, one box non-sterile and one box latex free or equivalent
- 1 Glucose measuring device
- 1 Thermometer
- 2 Biohazard bags
- 1 Printed pediatric reference material
- 1 Obstetrical kit, includes cord clamp, scissors, scalpel, bulb syringe, drapes, towels, gloves, feminine napkin, Biohazard bags
- 1 Commercial tourniquet
- 2 Occlusive sterile dressings or equivalent
- Disinfecting agent for cleaning vehicle and equipment of body fluids in accordance with OSHA standards of bleach diluted between 1:10 and 1:100 with water or equivalent
- Reflective safety vests one for each crew member OSHA approved
- Preventive T.B. Transmission masks (N95 or N100) masks one for each crew member
- Protective eye wear (goggle or face shield) one for each crew member
- Fire extinguisher, with current inspection sticker, of the dry chemical type with a rating of 2A10BC or halogen extinguisher of minimum weight 2.5 - 10 pounds
- Hemostatic Gauze or agent*
- Transcutaneous carbon monoxide detector*
- Head Immobilization Device*
- Spine board (wood must be coated or sealed)*
- Immobilization straps*
- Multi-use splints*
- Whole body vacuum splint*
- Inflatable back raft*
- Airway Equipment and Supplies:
 - 1 Portable or fixed suction, with wide bore tubing and rigid pharyngeal suction tip
 - 1 Oxygen saturation monitor with adult and pediatric probes
 - 2 Bag valve mask ventilation units, one adult, one pediatric, with adult, child, and infant sizes
 - 1 Bulb syringe, separate from the OB kit
 - 3 Oropharyngeal airways, with one adult, one child, and one infant size
 - 3 Nasopharyngeal airways, one adult, one child, and one infant
 - 2 O2 masks, non-rebreather or partial non-rebreather, one adult and one pediatric
 - 1 Nasal cannula, adult

- 1 Portable oxygen apparatus, capable of metered flow with adequate tubing
- 2 Small volume nebulizer container for aerosol solutions
- 2 Magill forceps, one adult, child/infant
- 1 Cath tip 60cc syringe* (for use with oro-nasogastric tube)
- 2 Supraglottic airway device (one adult and one pediatric (size) CPAP device*)
- 1 Water based lubricant, one tube or equivalent*
- 2 Oro-nasogastric tubes, one adult, and one pediatric*
- End-tidal CO2 monitor*
- Impedance threshold device*
- Defibrillator Equipment and Supplies
- 1 Defibrillator with ECG display, or automated external defibrillator (AED), portable battery operated, per vehicle or response unit
- 2 Sets of adult electrode pads for defibrillation (pediatric pads recommended)
- 1 12 lead ECG with transmission capability*
- Automated chest compression device*
- IV Supplies:
- 10 Alcohol or Iodine preps
- 2 IV start kits or equivalent
- 12 Over-the-needle catheters, two each, sizes 14g, 16g, 18g, 20g, 22g and 24g
- 2 Arm boards
- 5 IV tubings capable of micro and macro drip chambers, minimum 2 of each
- 8 Syringes, two each, 60cc, 10cc, 3cc, and 1cc
- 1 Sharps container
- 1 Safety razor
- 2 Saline lock
- 4 Normal Saline for injection/inhalation
- 1 Vacutainer holder*
- 4 Vacutainer tubes*
- 2 Intraosseous needles, one pediatric and one adult*
- Mucosal atomization device*
- Morgan lens for ocular irrigation*
- Required Drugs:
- 2 Albuterol Sulfate 2.5mg premixed
- 1 bottle aspirin chewable 81 mg (minimum 8 tablets)
- 2 Dextrose 50% 25gm preload
- 1 Epinephrine 1:1,000 1cc (1mg/1cc)
- 2 Epinephrine 1:10,000 1mg each*
- 1 Glucagon 2 mg
- 1 Irrigation solution 500cc
- 2 Naloxone HCL 2mg each
- 1 Nitroglycerine 0.4mg (tablets or spray)
- 2 Oral glucose concentrated tubes or equivalent 15g
- 2 Promethazine HCL 25mg each or ondansetron 8mg, or both*
- Ringers Lactate or Normal Saline 4,000cc
- may carry at least one benzodiazepine: midazolam, diazepam, or lorazepam*

may carry either Lidocaine or Amiodarone, or both*must carry at least one pain medication: nitrous, morphine, nalbuphine, fentanyl Acetaminophen elixir 160mg/5ml*

Activated Charcoal 25gm *

Amiodarone 300 mg IV*

Atropine Sulfate 1mg each*

Calcium Gluconate*

CyanoKit*

Diazepam*

Diphenhydramine 50 mg*

Fentanyl 200 mcg *

Ibuprofen* (adult and pediatric)

Ipratropium bromide*(nebulized)

Lidocaine (IV for cardiac use)*

Lorazepam*

Midazolam*

Morphine sulfate 10mg*

Nalbuphine 10 mg*

Nerve Agent Antidote kits* (Mark I Kits or DuoDote)

Nitrous oxide and required administration equipment*

Sodium bicarbonate 50 meq*

Mylar blanket*

*Optional items are marked with an asterisk.

Ground Vehicle Supply Requirements for EMT Ambulances.

- Ring cutters
- Mylar blanket
- 2 Blood pressure cuffs, one adult, one pediatric
- 2 Stethoscopes, one adult and one pediatric or combination
- 2 Pillows, with vinyl cover or single use disposable pillows
- 2 Emesis basins, emesis bags, or large basins
- 1 Fire extinguisher, with current inspection sticker, of the dry chemical type with a rating of 2A10BC or halogen extinguisher of minimum weight 2.5 - 10 pounds
- 2 Head immobilization devices or equivalent
- 2 Lower extremity traction splints or equivalent, one adult and one pediatric
- 2 Non-traction extremity splints, one upper and one lower
- 2 Spine boards, one short and one long (wood must be coated or sealed)
- 1 Full body pediatric immobilization device
- 2 Heavy duty shears
- 2 Urinals, one male, one female, or two universal
- 1 Printed pediatric reference material
- 2 Blankets
- 2 Sheets
- 3 Towels
- 2 Universal sterile dressings, 9" x 5", 10" x 8", 8" x 9", or equivalent
- 12 Gauze pads, sterile, 4" x 4"
- 8 Bandages, self-adhering, soft roller type, 4" x 5 yards or equivalent
- 2 Rolls of tape
- 4 Cervical collars, one adult, one child, one infant, plus one other size
- 2 Triangular bandages
- 2 Boxes of gloves, one box non-sterile and one box latex free or equivalent
- 1 Obstetrical kit (includes cord clamp, scissors, scalpel, bulb syringe, drapes, towels, gloves, feminine napkin, biohazard bags)
- 2 Occlusive sterile dressings or equivalent
- 1 Thermometer
- Water based lubricant, one tube or equivalent
- 2 Biohazard bags
- Glucose measuring device
- 1 Commercial tourniquet
- Car seat or equivalent approved by Federal Safety Standard
- Reflective safety vests one for each crew member OSHA approved
- Preventive T.B. transmission masks (N95 or N100) masks one for each crew member
- Protective eye wear (goggles or face shields) one for each crew member
- Full body substance isolation protection one for each crew member
- Disinfecting agent for cleaning vehicle and equipment of body fluids in accordance with OSHA standards of bleach diluted between 1:10 and 1:100 with water or equivalent
- Hemostatic Gauze or agent*
- Whole body vacuum splint*
- Inflatable back raft*

Transcutaneous carbon monoxide detector*

Mucosal atomization device*

Airway Equipment and Supplies

1 Portable and fixed suction, with wide bore tubing and rigid pharyngeal suction tip

1 Oxygen saturation monitor with adult and pediatric probes

2 Bag valve mask ventilation units, one adult, one pediatric, with adult, child, and infant

size

1 Bulb syringe, separate from the OB kit

3 Oropharyngeal airways, with one adult, one child, and one infant size

3 Nasopharyngeal airways, one adult, one child, and one infant

4 O2 masks, non-rebreather or partial non-rebreather, two adult and two pediatric

2 Nasal cannulas, adult

Portable oxygen apparatus, capable of metered flow with adequate tubing

1 Permanent large capacity oxygen delivery system

Impedance threshold device*

Automated transport ventilator*

Defibrillator Equipment and Supplies:

Automated external defibrillator (AED), per vehicle or response unit

Automated chest compression device*

Required Drugs

1 bottle aspirin chewable 81 mg (minimum 8 tablets)

2 Epinephrine auto-injectors, one standard and one junior

1 Irrigation Solution 500cc

2 Oral Glucose tubes concentrated or equivalent

Activated Charcoal 25gm *

Acetaminophen elixir 160mg/5ml*

Ibuprofen (adult and pediatric)*

Naloxone (Intranasal use only)*

Nerve Antidote Kits (Mark I Kits or DuoDote)*

*Optional items are marked with an asterisk.

Ground Vehicle Supply Requirements for AEMT Ambulances.

- Ring Cutter
- Mylar blanket
- 2 Blood pressure cuffs, one adult, one pediatric
- 2 Stethoscopes, one adult and one pediatric or combination
- 2 Pillows, with vinyl cover or single use disposable pillows
- 2 Emesis basins, emesis bags, or large basins
- 2 Head immobilization devices or equivalent
- 2 Lower extremity traction splints or equivalent, one adult and one pediatric
- 2 Non-traction extremity splints, one upper and one lower
- 2 Spine boards, one short and one long (Wood must be coated or sealed)
- 1 Full body pediatric immobilization device
- 2 Heavy duty shears
- 2 Urinals, one male, one female, or two universal
- 1 Printed pediatric reference material
- 2 Blankets
- 2 Sheets
- 3 Towels
- 2 Universal sterile dressings, 9" x 5", 10" x 8", 8" x 9", or equivalent
- 12 Gauze pads, sterile, 4" x 4"
- 8 Bandages, self-adhering, soft roller type, 4" x 5 yards or equivalent
- 2 Rolls of tape
- 4 Cervical collars, three adult and one pediatric or equivalent
- 2 Triangular bandages
- 2 Boxes of gloves, one box non-sterile and one box latex free or equivalent
- 1 Obstetrical kit (includes cord clamp, scissors, scalpel, bulb syringe, drapes, towels, gloves, feminine napkins, biohazard bags)
- 2 Occlusive sterile dressings or equivalent
- 1 Thermometer
- 2 Biohazard bags
- 1 Glucose measuring device
- 1 Commercial tourniquet
- 1 Car seat or equivalent approved by Federal Safety Standard
- Preventive T.B. transmission masks (N95 or N100) masks one for each crew member
- Fire extinguisher, with current inspection sticker, of the dry chemical type with a rating of 2A10BC or halogen extinguisher of minimum weight 2.5 - 10 pounds
- Protective eye wear (goggles or face shields) one for each crew member
- Full body substance isolation protection one for each crew member
- Reflective safety vests one for each crew member OSHA approved
- Disinfecting agent for cleaning vehicle and equipment of body fluids in accordance with OSHA standards of bleach diluted between 1:10 and 1:100 with water or equivalent
- Hemostatic Gauze or agent*
- Whole body vacuum splint*
- Inflatable back raft*

Transcutaneous carbon monoxide detector*

Airway Equipment and Supplies:

- 1 Portable and fixed suction, with wide bore tubing and rigid pharyngeal suction tip
- 1 Oxygen saturation monitor with adult and pediatric probes
- 2 Bag valve mask ventilation units, one adult, one pediatric, with adult, child, and infant

size

- 1 Bulb syringe, separate from the OB kit
- 3 Oropharyngeal airways, with one adult, one child, and one infant size
- 3 Nasopharyngeal airways, one adult, one child, and one infant
- 4 O2 masks, non-rebreather or partial non-rebreather, two adult and two pediatric
- 2 Nasal cannulas, adult
- 1 Portable oxygen apparatus, capable of metered flow with adequate tubing
- 1 Permanent large capacity oxygen delivery system
- 2 Small volume nebulizer container for aerosol solutions
- 2 Magill forceps, one adult, child/infant
- 1 Cath tip 60cc syringe* (for use with oro-nasogastric tube)
- 1 Water based lubricant, one tube or equivalent
- 2 Oro-nasogastric tubes, one adult, and one pediatric*
- 2 Supraglottic airway device (one adult and one pediatric size)
- CPAP device*

Impedance threshold device*

End tidal CO2 Monitor*

Automated transport ventilator*

Morgan lens for ocular irrigation*

Defibrillator Equipment and Supplies:

1 Defibrillator with ECG display, or automated external defibrillator (AED), portable battery operated, per vehicle or response unit

2 Sets of adult electrode pads for defibrillation

1 12 lead ECG with transmission capability*

Automated chest compression device*

IV Supplies:

10 Alcohol or Iodine prep

2 IV start kits or equivalent

12 Over-the-needle catheters, two each, sizes 14g, 16g, 18g, 20g, 22g and 24g

2 Arm boards

5 IV tubings capable of micro and macro drip chambers, minimum 2 of each

5 Extension tubings

8 Syringes, two each, 60cc, 10cc, 3cc, and 1cc

1 Three-way stopcock

1 Sharps container

1 Safety razor

2 Saline lock

4 Normal Saline for injection/inhalation

2 Intraosseous needles, one each, 15 or 16, and 18 gauge or delivery device*

1 Volutrol Pediatric IV chamber*

Mucosal atomization device*

Vacutainer holder*
Vacutainer tubes*
Required Drugs:
2 Albuterol Sulfate 2.5mg premixed
1 bottle aspirin chewable 81 mg (minimum 8 tablets)
2 Dextrose 50% 25gm preload
1 Epinephrine 1:1,000 1cc (1mg/1cc)
2 Epinephrine 1:10,000 1mg each*
1 Glucagon 2 mg
1 Irrigation solution 500cc
2 Naloxone HCL 2mg each
1 Nitroglycerine 0.4mg (tablets or spray)
2 Oral glucose concentrated tubes or equivalent 15g
2 Promethazine HCL 25mg each or ondansetron 8mg, or both*
Ringers Lactate or Normal Saline 4,000cc
may carry at least one benzodiazepine: midazolam, diazepam, or lorazepam*
may carry either Lidocaine or Amiodarone, or both*
must carry at least one pain medication: nitrous, morphine, nalbuphine, fentanyl
Acetaminophen elixir 160mg/5ml*
Activated Charcoal 25gm *
Amiodarone 300 mg IV*
Atropine Sulfate 1mg each*
Calcium Gluconate*
CyanoKit*
Diazepam*
Diphenhydramine 50 mg*
Fentanyl 200 mcg *
Ibuprofen* (adult and pediatric)
Ipratropium bromide*(nebulized)
Lidocaine (IV for cardiac use)*
Lorazepam*
Midazolam*
Morphine sulfate 10mg*
Nalbuphine 10 mg*
Nerve Agent Antidote kits* (Mark I Kits or DuoDote)
Nitrous oxide and required administration equipment*
Sodium bicarbonate 50mEq each*

*Optional items are marked with an asterisk.

Ground Vehicle Supply Requirements for EMT-IA Ambulances.

- Ring cutters
- Mylar blanket
- 2 Blood pressure cuffs, one adult, one pediatric
- 2 Stethoscopes, one adult and one pediatric or combination
- 2 Pillows, with vinyl cover or single use disposable pillows
- 2 Emesis basins, emesis bags, or large basins
- 2 Head immobilization devices or equivalent
- 2 Lower extremity traction splints or equivalent, one adult and one pediatric
- 2 Non-traction extremity splints, one upper, one lower
- 2 Spine boards, one short and one long (Wood must be coated or sealed)
- 1 Full body pediatric immobilization device
- 2 Heavy duty shears
- 2 Urinals, one male, one female, or two universal
- 1 Printed Pediatric Reference Material
- 2 Blankets
- 2 Sheets
- 3 Towels
- 1 Commercial Tourniquet
- 2 Universal sterile dressings, 9" x 5", 10" x 8", 8" x 9", or equivalent
- 12 Gauze pads, sterile, 4" x 4"
- 8 Bandages, self-adhering, soft roller type, 4" x 5 yards or equivalent
- 2 Rolls of tape
- 4 Cervical collars, three adult and one pediatric or equivalent
- 2 Triangular bandages
- 2 Boxes of gloves, one box non-sterile and one box latex free or equivalent
- 1 Obstetrical kit (includes cord clamp, scissors, scalpel, bulb syringe, drapes, towels, gloves, feminine napkins, biohazard bags)
- 2 Occlusive sterile dressings or equivalent
- 1 Thermometer or equivalent
- 2 Biohazard bags
- 1 Glucose measuring device
- Car seat or equivalent approved by Federal Safety Standard
- Preventive T.B. transmission masks (N95 or N100) masks one for each crew member
- Fire extinguisher, with current inspection sticker, of the dry chemical type with a rating of 2A10BC or halogen extinguisher of minimum weight 2.5 - 10 pounds
- Protective eye wear (goggles or face shields) one for each crew member
- Full body substance isolation protection one for each crew member
- Reflective safety vests one for each crew member OSHA approved
- Disinfecting agent for cleaning vehicle and equipment of body fluids in accordance with OSHA standards of bleach diluted between 1:10 and 1:100 with water or equivalent
- Hemostatic Gauze or agent*
- Whole body vacuum splint*
- Inflatable back raft*
- Transcutaneous carbon monoxide detector*

Airway Equipment and Supplies:

- 1 Portable or fixed suction, with wide bore tubing and rigid pharyngeal suction tip
- 2 Bag mask ventilation units, one adult, one pediatric, with adult, child, and infant size masks
- 1 Baby syringe, bulb type, separate from the OB kit
- 3 Oropharyngeal airways, with one adult, one child, and one infant size
- 3 Nasopharyngeal airways, one adult, one child, and one infant
- 2 Magill forceps, one adult and one child
- 4 Non-rebreather or partial non-rebreather oxygen masks, two adult and two pediatric
- 2 Nasal cannulas, adult
- 1 Portable oxygen apparatus, capable of metered flow with adequate tubing
- 1 Oxygen saturation monitor
- 1 Permanent large capacity oxygen delivery system
- 2 Small volume nebulizer container for aerosol solutions
- 1 Laryngoscope with batteries curved and straight blades with bulbs and two extra batteries and two extra bulbs
- 1 Water based lubricant, one tube or equivalent
- 7 Endotracheal tubes, one each: cuffed 8, 7.5, 7, 6, uncuffed 5, 4, 3
- 2 Endotracheal tube stylets, one pediatric and one adult
- 1 Device for securing the endotracheal tube
- 2 Endotracheal tube confirmation device
- 2 Flexible sterile endotracheal suction catheters from 5-12 french
- 2 Oro-nasogastric tubes, one adult, and one pediatric
- 2 Supraglottic airway device (one adult and one pediatric size)
- Video laryngoscope*
- Bougie device*
- CPAP device*
- Impedance threshold device*
- End tidal CO2 Monitor*
- Automated transport ventilator*
- Morgan lens for ocular irrigation*
- Defibrillator Equipment and Supplies:
- 1 Portable cardiac monitor/defibrillator/pacer with adult and pediatric capabilities
- 2 Sets Electrodes or equivalent
- 2 Sets Combination type defibrillator pads pacing/cardioversion/defibrillator
- 1 12 lead ECG with transmission capability*
- Automated chest compression device*
- IV Supplies:
- 10 Alcohol or Iodine preps
- 2 IV start kits or equivalent
- 12 Over-the-needle catheters, two each, sizes 14g, 16g, 18g, 20g, 22g and 24g
- 2 Arm boards
- 5 IV tubings capable of micro and macro drip chambers, minimum 2 of each
- 8 Syringes, two each, 60cc, 10cc, 3cc, and 1cc
- 1 Cath tip 60cc syringe
- 1 Three-way stopcock

1 Sharps container
 1 Safety razor
 2 Saline lock
 4 Normal Saline for injection/inhalation
 2 Intraosseous needles, one each, 15 or 16, and 18 gauge or delivery device
 1 Volutrol Pediatric IV chamber*
 Mucosal atomization device*
 Vacutainer holder*
 Vacutainer tubes*
 Required Drugs:
 2 Albuterol Sulfate 2.5mg premixed
 1 bottle aspirin chewable 81 mg (minimum 8 tablets)
 2 Atropine Sulfate 1mg
 2 Dextrose 50% or Glucagon (must have 1 D50)
 2 Diphenhydramine intravenous 50mg each
 1 Epinephrine 1:1,000 15mg or equivalent
 2 Epinephrine 1:10,000 1mg each
 1 Irrigation solution 500cc
 2 Morphine Sulfate 10mg
 2 Naloxone HCL 2mg each
 1 Nitroglycerine bottle 0.4mg (tablets or spray)
 2 Oral glucose concentrated tubes or equivalent
 2 Promethazine HCL 25mg each or ondansetron 8mg, or both
 1 Ringers Lactate or Normal Saline 4,000cc
 must carry at least one benzodiazepine: midazolam, diazepam, or lorazepam*
 must carry either Lidocaine or Amiodarone, or both*
 must carry at least one pain medication: nitrous, morphine, nalbuphine, fentanyl
 Acetaminophen elixir 160mg/5ml*
 Activated Charcoal 25gm*
 Adenosine*
 Amiodarone 300 mg IV*
 Calcium Gluconate*
 CyanoKit*
 Diazepam*
 Fentanyl 200 mcg*
 Furosemide*
 Ibuprofen* (adult or pediatric)
 Ipratropium bromide*(nebulized)
 Lidocaine (IV for cardiac use)*
 Lorazepam*
 Midazolam*
 Nalbuphine 10 mg*
 Nerve Agent Antidote kits_ (Mark I Kits or DuoDote)*
 Nitrous oxide and required administration equipment*

*Optional items are marked with an asterisk.

Ground Vehicle Supply Requirements for Paramedic Ambulances, Rescue, and Transfer Units.

- Ring cutters
- Mylar blanket
- 2 Blood pressure cuffs, one adult, one pediatric
- 2 Stethoscopes, one adult and one pediatric or combination
- 1 Thermometer
- 1 Glucose measuring device
- 2 Head immobilization devices or equivalent
- 2 Lower extremity traction splints or equivalent, one adult and one pediatric
- 2 Non-traction extremity splints, one upper and one lower
- 2 Spine boards, one short and one long. Wooden boards must be coated or sealed
- 1 Full body pediatric immobilization device. (Paramedic rescue units excluded)
- 2 Heavy duty shears
- 2 Blankets
- 3 Towels
- 2 Universal sterile dressings, 9" x 5", 10" x 8", 8" x 9", or equivalent
- 12 Gauze pads, sterile, 4" x 4".
- 8 Bandages, self-adhering, soft roller type, 4" x 5 yards or equivalent
- 2 Rolls of tape
- 4 Cervical collars, three adult and one pediatric or equivalent
- 2 Triangular bandages
- 2 Boxes of gloves, one box non-sterile and one box latex free or equivalent
- 1 Obstetrical kits (includes cord clamp, scissors, scalpel, bulb syringe, drapes, towels, gloves, feminine napkins, biohazard bags)
- 2 Occlusive sterile dressings or equivalent
- 2 Emesis basins, emesis bags, or large basins
- 1 Printed pediatric reference material
- 2 Urinals, one male, one female, or two universal
- 2 Pillows with vinyl cover or single use disposable pillows (paramedic rescue units excluded)
- 2 Sheets (paramedic rescue units excluded)
- 1 Commercial Tourniquet
- 2 Biohazard bags
- Car seat or equivalent approved by Federal Safety Standard - (paramedic rescue units excluded) change definition
- Preventive T.B. transmission masks (N95 or N100) masks one for each crew member
- Fire extinguisher, with current inspection sticker, of the dry chemical type with a rating of 2A10BC or halogen extinguisher of minimum weight 2.5 - 10 pounds
- Protective eye wear (goggles or face shields) one for each crew member
- Full body substance isolation protection one for each crew member
- Reflective safety vests one for each crew member OSHA approved
- Disinfecting agent for cleaning vehicle and equipment of body fluids in accordance with OSHA standards of bleach diluted between 1:10 and 1:100 with water or equivalent

Hemostatic Gauze or agent*
 Whole body vacuum splint*
 Inflatable back raft*
 Transcutaneous carbon monoxide detector*
 Airway Equipment and Supplies:
 1 Portable and fixed suction, with wide bore tubing and rigid pharyngeal suction tip
 1 Portable suction unit, with wide bore tubing and rigid pharyngeal suction tip -
 (paramedic rescue units only)
 1 Oxygen saturation monitor with adult and pediatric probes
 1 Bulb syringe separate from the OB kit
 1 Laryngoscope with batteries curved and straight blades with bulbs and two extra
 batteries and two extra bulbs
 Video laryngoscope*
 Bougie device*
 1 Water based lubricant, one tube or equivalent
 11 Endotracheal tubes, one each, uncuffed 3, 3.5 4, 4.5 and 5, cuffed 5.5, 6, 6.5, 7, 7.5, 8
 2 Endotracheal tube stylets, one pediatric and one adult
 1 Device for securing the endotracheal tube
 2 Endotracheal tube confirmation devices
 2 Flexible sterile endotracheal suction catheters from 5-12 french
 3 Oropharyngeal airways, one adult, one child, and one infant size
 3 Nasopharyngeal airways, one adult, one child, and one infant size
 2 Magill forceps, one child and one adult/infant
 1 Portable oxygen apparatus, capable of metered flow with adequate tubing
 2 Oro-nasogastric tubes, one adult, and one pediatric
 4 O2 masks, non-rebreather or partial non-rebreather, two adult and two pediatric
 2 Nasal cannulas, adult
 2 Bag mask ventilation units, one adult, one pediatric, with adult, child, and infant size
 masks
 2 Tongue blades
 1 Meconium aspirator
 1 Cricothyroidotomy kit
 2 Small volume nebulizer container for aerosol solutions
 1 Permanent large capacity oxygen delivery system (paramedic rescue units excluded)
 2 Supraglottic airway device (one adult and one pediatric size)
 CPAP Device*
 Impedance Threshold Device*
 End tidal CO2 Monitor*
 Automated transport ventilator*
 Morgan lens for ocular irrigation*
 Portable Sonographic device*
 Defibrillator Equipment and Supplies:
 1 Portable cardiac monitor/defibrillator/pacer with adult and pediatric capabilities
 2 Sets Electrodes or equivalent
 2 Sets Combination type defibrillator pads pacing/cardioversion/defibrillator
 1 12 lead ECG with transmission capability*

Automated chest compression device*

IV Supplies:

10 Alcohol or iodine preps

2 IV start kits or equivalent

12 Over-the-needle catheters, two each, sizes 14g, 16g, 18g, 20g, 22g, 24g

2 Intraosseous needles, one each, 15 or 16, and 18 gauge or delivery device

2 Arm boards

5 IV tubings capable of micro and macro drip chambers, minimum 2 of each

1 Volutrol Pediatric IV chamber

8 Syringes, two each, 60cc, 10cc, 3cc, and 1cc

2 Saline lock

4 Normal Saline for injection/inhalation

1 Cath tipped syringe, 60cc

2 Three-way stopcocks

1 Sharps container

1 Safety razor

1 Cath tipped syringe, 30cc*

Vacutainer holder*

Vacutainer multiple sample luer adapters*

Vacutainer tubes*

Mucosal atomization device*

IV Infusion pumps*

Required Drugs:

2 Albuterol Sulfate 2.5mg pre-mixed

1 bottle aspirin 81 mg chewable (minimum 8 tablets)

2 Atropine Sulfate 1mg

2 Dextrose 50% preload

2 Diphenhydramine intravenous 50mg each

2 Dopamine HCL 400mg each or 2 mics/ml Epinephrine drip (2cc Epinephrine 1:1,000 to 1000cc LR% or NS), or both

1 Epinephrine 1:1,000 15mg or equivalent

2 Epinephrine 1:10,000 1mg each

1 Glucagon 2 mg

1 Irrigation solution 500cc

4 Naloxone HCL 2mg each

1 Nitroglycerine bottle 0.4mg (tablets or spray)

2 Oral Glucose concentrated 15g tubes or equivalent

2 Promethazine HCL 25mg each or ondansetron 8mg, or both

Ringers Lactate or Normal Saline 4,000cc

2 Sodium Bicarbonate 50mEq each

must carry at least one benzodiazepine: midazolam, diazepam, or lorazepam*

must carry either Lidocaine or Amiodarone, or both*

must carry at least one pain medication: nitrous, morphine, nalbuphine, fentanyl, hydromorphone, or meperidine

Acetaminophen 160mg/5ml*

1 Activated Charcoal 25gm *

Adenosine*
2 Amiodarone 300 mg IV*
Calcium Gluconate*
CyanoKit*
Diazepam*
Droperidol*
Fentanyl 200 mcg*
Furosemide*
Haloperidol*
Hydromorphone*
Ibuprofen* (adult or pediatric)
Ipratropium bromide* (nebulized)
2 Lidocaine* (IV for cardiac use)
Lorazepam*
Magnesium Sulfate*
Meperidine*
Midazolam*
2 Morphine Sulfate 10mg each*
Nalbuphine 10mg*
Nerve Agent Antidote kits*(Mark I Kits or DuoDote)
Nitrous oxide and required administration equipment*
Oxytocin*
Procainamide*
Vasopressin*
Vecuronium* (only for therapeutic hypothermia protocol)

*Optional items are marked with an asterisk.