

# UTAH OFFICE OF EMSP

## AEMT Non-Transport QRV Checklist 07/2023

**Name of Agency:**

Agency License or Designation Number:

*(All Agencies Self Inspections requires two license personal to complete an inspection per vehicle)*

Inspector 1:

Inspector 2:

Is this vehicle currently listed in your ImageTrend Agency License?  Yes  No  Unknown

Date of Inspection:

Equipment on this list may be stored in the vehicle or carried on individual persons as required by agency policy.

Type of Inspection:  Self Inspection  New Vehicle

**Vehicle Information**

	Vehicle 1	Vehicle 2
Vehicle License Number		
VIN Number		
Year of Vehicle		
Active Vehicle or Reserve	<input type="checkbox"/> Active <input type="checkbox"/> Reserve	<input type="checkbox"/> Active <input type="checkbox"/> Reserve
Type of Vehicle (Ambulance, Fire Truck Transport, Reserve, Other)		
Type of Inspection (Annual, New Vehicle, New License)	<input type="checkbox"/> Annual <input type="checkbox"/> New Vehicle	<input type="checkbox"/> Annual <input type="checkbox"/> New Vehicle
Defibrillator/AED Serial Number		

**KEY:**

**P: Passed**

Proper quantity & all equipment and supplies within expiration dates.

**W: Waiver**

Requires Bureau of Emergency Medical Services and Preparedness approval.

**N/C: Non Compliant**

Missing, damaged, or expired equipment and medications or insufficient quantity of supplies.

**NA: Not Applicable**

\*Not a required item or for medications that have alternative options.

	Vehicle 1	Vehicle 2
<b>Vehicle Equipment and Reference Manual Checklist</b>		
	Vehicle 1	Vehicle 2
Written standing orders or Downloaded Digital Version	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA

Approved waivers to add or remove items from this list (requires approval from agency Medical Director AND State EMS Medical Director)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Pediatric Reference Manual or Downloaded Digital Version	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Emergency Response Guidebook (ERG) or Downloaded Digital Version	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Triage system	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Flashing lights and siren	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Radio equipment	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Fire extinguisher with current inspection sticker, dry chemical type with rating of 2A10BC or Halogen. (Weight 2.5-10 pounds)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
<b><u>Cardiac &amp; Vital Sign Equipment</u></b>		
1 Defibrillator with ECG display or AED (portable battery operated)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Electrode pads (for defibrillator), adult & Pediatric or Combination	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
1 Safety razor	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Pulse oximeter with adult and pediatric probe	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Glucose measuring device and supplies	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Thermometer	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Blood pressure cuff (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Blood pressure cuff (pediatric)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Stethoscope (Adult & pediatric or combination)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
<b><u>OB, Trauma Dressings &amp; Supplies</u></b>		
OB kit (includes cord clamp, scissors, scalpel, bulb syringe, drapes, towels, gloves, feminine napkin, and biohazard bags)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Heavy duty shears	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
12 4x4 Gauze pads	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
8 Soft roller type bandages 4" x 5 yards	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Rolls tape	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA

2 Triangular bandages	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Sterile dressings, 5"x9", 8"x10" or equivalent	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Occlusive sterile dressings or equivalent	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Commercial tourniquet	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Hard commercial eye shield for eye injuries	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Biohazard bags	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Cervical collar or equivalent (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Cervical Collar or equivalent (pediatric/infant)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
500cc irrigation solution	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
<b>PPE Supplies for Patient and Crew</b>		
	<b>Vehicle 1</b>	<b>Vehicle 2</b>
Gloves, non-sterile, latex free or equivalent, various sizes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Full body substance isolation protection (one per crew member)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
N95 or N100 TB mask (one per crew member & patient)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Protective eyewear, goggles or face shield (one per crew member)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Reflective Safety vest, OSHA approved (one per crew member)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Disinfecting agent for cleaning vehicle and equipment of body fluids in accordance to OSHA standards.	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
<b>Airway Equipment and supplies</b>		
	<b>Vehicle 1</b>	<b>Vehicle 2</b>
Portable oxygen delivery system with metered flow and adequate tubing	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Suction device, portable with wide-bore tubing and rigid pharyngeal suction tip.	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Bag valve mask adult	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Bag valve masks pediatric and infant	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA

Oropharyngeal airway (infant to adult sizes)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Nasopharyngeal airway (Sizes from 14-36 French)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Water based lubricant (tube or equivalent)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Non-rebreather or partial non-rebreather O2 mask (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Non-rebreather or partial non-rebreather O2 mask (pediatric)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Nasal cannula (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Nasal cannula (pediatric)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Nebulizer containers, small volume for aerosol solutions	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Magill forceps (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Magill forceps, (child/infant)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Supraglottic airways – adult sizes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Supraglottic airways – pediatric sizes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
<b>IV Fluid and Supplies</b>		
2,000ml Ringer's lactate or normal saline or both	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Normal saline for injection/inhalation (Flush)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
10 Alcohol preps or iodine pads	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 IV start packs	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Saline locks	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
3 IV tubing capable of micro and macro drip chambers or equivalent	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Each, 16, 18, 20, 22, 24ga. over the needle catheters	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Sharps container	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 20cc, 30cc or 60cc syringes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 10cc syringes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 3cc syringes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 1cc syringes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
10 Needles, assorted sizes	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
<b>Drug/Medication Requirements</b>		
2 Albuterol Sulfate, 2.5mg premixed	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA

3mg Epinephrine 1mg/1ml	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Diphenhydramine IV, 50mg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
1mg vial glucagon needs to be on a Ambulance or Quick Response within 20 minutes of patient	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Dose minimum - Dextrose 50%, Dextrose 25% or Dextrose 10% must have 50g in total	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Oral glucose tubes, 15g concentrated or equivalent	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Nitroglycerine, 0.4mg (tablet, spray or powder) For tablets, place date upon opening, expires after six months	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
8 Chewable aspirin, 81mg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Promethazine HCL, 50 mg or Ondansetron, 8mg; or both	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Naloxone HCL, 2mg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
<b><u>Required to carry at least one narcotic pain medication may carry other nonnarcotic pain</u></b>		
Fentanyl 200mcg	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
20mg Morphine sulfate	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
10mg Nalbuphine	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Ketamine 200 mg (with waiver)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
<b><u>Optional Equipment and Supplies</u></b>		
2 Arm boards	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Syringe/aspirator bulb type (infant) separate from OB kit	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Hemostatic Gauze or agent	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Inflatable back raft	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Transcutaneous CO detector	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Multi-use splints	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Spine boards – short	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Morgan lens for ocular irrigation	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Ring cutter	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Whole body vacuum splint	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Mucosal atomization device	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Immobilization straps	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Head immobilization devices or equivalent	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Spine board – long	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Mylar blanket	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA

Impedance threshold device	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Cath tip 60cc syringe	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Needle decompression device	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
14 ga. catheters, over the needle	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
End tidal CO2 Monitor	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Oro-nasogastric tubes adult and pediatric	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Acetaminophen elixir 160mg/5ml	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Activated Charcoal 25gm	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Amiodarone 300mg IV	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Atropine Sulfate 1mg each	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Calcium Gluconate	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
CyanoKit	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Diazepam	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
2 Epinephrine 1:10000 1mg each	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Ibuprofen – adult and pediatric	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Ipratropium bromide (nebulizer)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Lidocaine	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Lidocaine (IV for cardiac)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Lorazepam	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Nerve agent antidote kit – Mark 1 or Duodote	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Midazolam	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
Sodium Bicarbonate 50mEq each	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
intraosseous needle or delivery system (adult)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA
intraosseous needle or delivery system (pediatric)	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA	<input type="checkbox"/> P <input type="checkbox"/> W <input type="checkbox"/> N/C <input type="checkbox"/> NA